




## REFERENCES

# Psychological services within the Acute Adult Mental Health Care Pathway

Guidelines for service providers, policy makers and decision makers.

## REFERENCES

- ACP (2020). ACP-UK Rapid Response: Guidance for Clinical Psychologist in Mitigating the Impact of Covid-19 at Work. *Association of Clinical Psychologists – UK*. Available at: [https://acpuk.org.uk/cp\\_guidance\\_covid-19](https://acpuk.org.uk/cp_guidance_covid-19) (Accessed 31.07.20)
- ACP (2021). Team Formulation Discussion Paper. *Association of Clinical Psychologists – UK*. In publication
- AHSN (2020). Developing real world system capability in trauma informed care: learning from good practice. A summary for commissioners, services, practitioners and people with lived experience of trauma. *Academic Health Science Network*. Available at: <https://future.nhs.uk/TICC/grouphome> (Accessed 17.07.20)
- Anandaciva, S. (2020). NHS Hospital Beds Numbers: Past, Present, Future. *Kings Fund*. Available at: <https://www.kingsfund.org.uk/publications/nhs-hospital-bed-numbers> (Accessed 31.07.20)
- Andrew, A., Knapp, M., McCrone, P. et al. (2012). Effective Interventions in schizophrenia: The economic case. Personal Social Services Research Unit, *London School of Economics and Political Science*, London, UK. Available at: <http://eprints.lse.ac.uk/47406>
- Araci, D & Clarke, I (2016). Investigating the efficacy of a whole team, psychologically informed, acute mental health service approach. *Journal of Mental Health*, 26(4), pp. 307–311, doi:10.3109/09638237.2016.1139065 (Accessed 17.05.20)
- Berry, K. & Raphael, J. (2019). *TULIPS Talk, Understand, Listen for Inpatient Settings*. University of Manchester. Available at: <https://sites.manchester.ac.uk/tulips/> (Accessed 21.07.20)
- Berry, K., Raphael, J., Winter, R. & Adams, J. (2020). Guidance for psychological professionals on inpatient mental health wards in the Covid-19 pandemic. University of Manchester
- British Psychological Society (2011). *Good practice guidelines on the use of psychological formulation*. Division of Clinical Psychology. Leicester, England: Author.
- British Psychological Society (2011a). *Guidelines for Clinical Psychology Services*. British Psychological Society Available at: [www.bps.org.uk/sites/bps.org.uk/files/Member%20Networks/Divisions/DCP/Guidelines%20for%20Clinical%20Psychology%20Services.pdf](http://www.bps.org.uk/sites/bps.org.uk/files/Member%20Networks/Divisions/DCP/Guidelines%20for%20Clinical%20Psychology%20Services.pdf) (Accessed 18.09.20)
- British Psychological Society (2012). *Guidelines on Activity for Clinical Psychologists: Relevant factors and the function and utility of job plans*. Available at: [www.bps.org.uk/sites/bps.org.uk/files/Member%20Networks/Divisions/DCP/Guidelines%20of%20Activity%20for%20CP%27s.pdf](http://www.bps.org.uk/sites/bps.org.uk/files/Member%20Networks/Divisions/DCP/Guidelines%20of%20Activity%20for%20CP%27s.pdf) (Accessed 18.09.20)
- British Psychological Society (2017). Position statement. *Understanding and preventing suicide: A psychological perspective*. Available at: [www.bps.org.uk/sites/bps.org.uk/files/Policy/Policy%20-%20Files/Understanding%20and%20preventing%20suicide%20-%20a%20psychological%20perspective.pdf](http://www.bps.org.uk/sites/bps.org.uk/files/Policy/Policy%20-%20Files/Understanding%20and%20preventing%20suicide%20-%20a%20psychological%20perspective.pdf) (Accessed 18.09.20)
- British Psychological Society (2020). Guidance for psychological professionals during the Covid-19 pandemic. Available at: [ww.bps.org.uk](http://www.bps.org.uk) (Accessed 04.05.20)
- British Psychological Society (2020b). The psychological needs of healthcare staff as a result of the Coronavirus outbreak. Available at: <https://www.bps.org.uk> (Accessed 04.05.20)
- Brown, P., Waite, F., Lambe, S. et al. (2020). Virtual Reality Cognitive Therapy in inpatient psychiatric wards: Protocol for a qualitative investigation of staff and patient views across multiple national health service sites. *JMIR Research Protocols*. Available at: [www.researchprotocols.org/2020/8/e20300/](http://www.researchprotocols.org/2020/8/e20300/) (Accessed 24.09.20)
- Browne, S. (2019). *New ways of working: Psychology in liaison teams*. British Psychological Society Assistant Psychology Conference Poster.
- Bucci, S., Hartley, S., Knott, K. et al. (2019) The Team Formulation Quality Rating Scale (TFQS): development and evaluation. *Journal of Mental Health*. doi:10.1080/09638237.2019.1608930
- Bullock, J., Whiteley, C., Moakes, K. et al. (2020). Single-session comprehend, cope, and connect intervention in acute and crisis psychology: A feasibility and acceptability study. *The Journal of Clinical Psychology and Psychotherapy*. <https://doi.org/10.1002/cpp.2505>
- CQC (2017). The state of care in mental health services 2014 to 2017. Care Quality Commission. Available at: [www.cqc.org.uk/sites/default/files/20170720\\_stateofmh\\_report.pdf](http://www.cqc.org.uk/sites/default/files/20170720_stateofmh_report.pdf) (Accessed 31.10.19)
- CQC (2019). Letter to mental health providers from Dr Paul Lelliott. Care Quality Commission Available at: <https://medium.com/@CareQualityComm/letter-to-mental-health-providers-from-dr-paul-lelliott-211cd8846bb1> (Accessed 16.02.20)
- CQC (2020). Monitoring the Mental Health Act in 2018/19 Care Quality Commission. Available at: [https://www.cqc.org.uk/sites/default/files/20200206\\_mhareport1819\\_summary.pdf](https://www.cqc.org.uk/sites/default/files/20200206_mhareport1819_summary.pdf) (Accessed 07.01.20)



- Carers Trust (2015). The Triangle of Care Toolkit – A Resource for Mental Health Service Providers Introduction. *Carers Trust*. Available at: <https://carers.org/resources/all-resources/60-the-triangle-of-care-toolkit-a-a-resource-for-mental-health-service-providers-introduction>. (Accessed 23.07.20)
- Carpinello, S.E., Knight, E.L., Markowitz, F.E. & Pease, E.A. (2000). The development of the Mental Health Confidence Scale: A measure of self-efficacy in individuals diagnosed with mental disorders. *Psychiatric Rehabilitation Journal*, 23(3), 236–243. <https://doi.org/10.1037/h0095162>
- Clarke, I. & Wilson, H. (Eds.). (2009). *Cognitive behaviour therapy for acute inpatient mental health units: Working with clients, staff and the milieu*. Routledge/Taylor & Francis Group.
- Clarke, I. (2015). The Emotion Focused Formulation Approach: Bridging individual and team formulation. *Clinical Psychology Forum* 275, 28–32.
- Clarke, I. & Nicholls, H. (2018). *Third Wave CBT Integration for Individuals and Teams: Comprehend, cope and connect*. Routledge, Oxford.
- Code of Practice (2015). Mental Health Act 1983 Code of Practice Revised. Available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/435512/MHA\\_Code\\_of\\_Practice.PDF](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/435512/MHA_Code_of_Practice.PDF) (Accessed 22.12.19)
- Crisp, N., Smith, G. & Nicholson, K. (2016). Old problems, new solutions – improving acute psychiatric care for adults in England. The Commission on Acute Adult Psychiatric Care. Available at: [www.rcpsych.ac.uk/docs/default-source/improving-care/better-mh-policy/policy/policy-old-problems-new-solutions-caapc-report-england.pdf?sfvrsn=7563102e\\_2](http://www.rcpsych.ac.uk/docs/default-source/improving-care/better-mh-policy/policy/policy-old-problems-new-solutions-caapc-report-england.pdf?sfvrsn=7563102e_2) (Accessed 19.09.20)
- Dawson, J. (2018). Links between NHS staff experience and patient satisfaction: Analysis of surveys from 2014 and 2015. *NHS England*. Available at: [www.england.nhs.uk/wp-content/uploads/2018/02/links-between-nhs-staff-experience-and-patient-satisfaction-1.pdf](http://www.england.nhs.uk/wp-content/uploads/2018/02/links-between-nhs-staff-experience-and-patient-satisfaction-1.pdf) (Accessed 31.07.20)
- Deane, F.P., Spicer, J. & Todd, D. (1997). Validity of a Simplified Target Complaints Measure. *Assessment* 4(2), 119–130. [10.1177/107319119700400202](https://doi.org/10.1177/107319119700400202)
- Durcan, G., O’Shea, N. & Allwood, L. (2020). Covid-19 and the nation’s mental health: Forecasting needs and risks in the UK. *Centre for Mental Health*. Available at: [www.centreformentalhealth.org.uk/publications/covid-19-and-nations-mental-health-may-2020](http://www.centreformentalhealth.org.uk/publications/covid-19-and-nations-mental-health-may-2020) (Accessed 04.09.20)
- Ebrahim, S. (2018). ‘Multi-professional approved clinicians’ contribution to clinical leadership’. *The Journal of Mental Health Training, Education and Practice*, 13(2) 65-76. Available at: <https://doi.org/10.1108/JMHTEP-03-2017-0019>
- Ebrahim, S. (2021). Psychologists’ perspectives on the value of psychology in acute adult mental health inpatient, crisis home treatment and mental health liaison services. *Journal of Mental Health*. Available at: <https://doi.org/10.1080/09638237.2021.1875410>
- Edmundson, A.C. (2019). *The fearless organization: Creating psychological safety in the workplace for learning, innovation, and growth*. New Jersey: John Wiley & Sons.
- Evlat, G., Wood, L. & Glover, N. (2021). A systematic review of the implementation of psychological therapies in acute mental health inpatient settings. *Clin Psychol Psychother* 2021, 1–13 [doi/epdf/10.1002/cpp.2600](https://doi.org/10.1002/cpp.2600)
- Gilbert, P. (2010). *The Compassionate Mind*. London: Constable & Robinson.
- Hawton, K., Witt, K.G., Taylor Salisbury, T.L. et al. (2016). Psychosocial interventions for self-harm in adults. *Cochrane Database of Systematic Reviews*, 5. Available at: [doi:10.1002/14651858.CD012189](https://doi.org/10.1002/14651858.CD012189)
- Hawton, K., Witt, K.G., Taylor Salisbury, T.L. et al. (2016a). Psychosocial interventions following self-harm in adults: A systematic review and meta-analysis. *Lancet Psychiatry*, 3, 740–750. Available at: <https://doi.org/10.1002/14651858.CD012189>
- HCPC (2015). Practitioner Psychologists Standards of Proficiency. Health and Care Professions Council. [www.hcpc-uk.org/globalassets/resources/standards/standards-of-proficiency-practitioner-psychologists.pdf](http://www.hcpc-uk.org/globalassets/resources/standards/standards-of-proficiency-practitioner-psychologists.pdf)
- HEE (2020). Multi-Professional Approved/Responsible Clinician Implementation Guide. Health Education England. Available at: <https://www.hee.nhs.uk/sites/default/files/documents/Multi%20Professional%20Approved%20Responsible%20Clinician%20Implementation%20Guide.pdf> (Accessed 11.07.21)
- House, A., Guthrie, G., Walker, A. et al. (2018). A programme theory for liaison mental health services in England. *BMC Health Services Research*, 18, 742. Available at: <https://doi.org/10.1186/s12913-018-3539-2>
- Jacobsen, P.C., Hodkinson, K., Peters, E.R. & Chadwick, P. (2018). A systematic scoping review of psychological therapies for psychosis within acute psychiatric inpatient settings. *British Journal of Psychiatry*, 213(2), 490–497 [doi:10.1192/bjp.2018.106](https://doi.org/10.1192/bjp.2018.106)
- Johnstone, L. (2019). Do you still need your psychiatric diagnosis? Critiques and alternatives in J. Ed Watson, *Drop the Disorder: Challenging the Culture of Psychiatric Diagnosis*. Exeter, UK: PCCS Books.
- Joint Commissioning Panel – Mental Health Liaison (2012). Available at: [www.jcpmh.info/good-services/liaison-mental-health-services/](http://www.jcpmh.info/good-services/liaison-mental-health-services/) (Accessed 30.07.20)
- Kings Fund (2021). Covid-19 recovery and resilience: What can health and care learn from other disasters? Available at: <https://features.kingsfund.org.uk/2021/02/covid-19-recovery-resilience-health-care/#group-section-Whats-needed-now-VFHYdE2Rn6> (Accessed 07.02.21)
- Kuyken, W., Padesky, C.A. & Dudley, R. (2009). *Collaborative Case Conceptualisation: Working effectively with clients in Cognitive Behavioural Therapy*. New York: Guilford Press.
- Mental Health Act (2021). Reforming the Mental Health Act White Paper. Available at: [www.gov.uk/government/consultations/reforming-the-mental-health-act](http://www.gov.uk/government/consultations/reforming-the-mental-health-act) (Accessed 30.01.21)
- Mental Health Optimal Staffing Tool (MHOST) (2019). Implementation guidance for mental health inpatient wards. Imperial College Innovations Ltd. All rights reserved. Mental Health Optimal Staffing Tool. *InnovaHealthTech*. Available at: [www.innovahealthtech.com/mhost-1](http://www.innovahealthtech.com/mhost-1) (Accessed 08.03.20)
- McCabe, R., Garside, R., Backhouse, A. & Xanthopoulou, P. (2018). Effectiveness of brief psychological interventions for suicidal presentations: a systematic review. *BMC Psychiatry* 18, 120. <https://doi.org/10.1186/s12888-018-1663-5>
- McManus S., Bebbington P., Jenkins R., Brugha T. (eds.) (2016). *Mental health and wellbeing in England: Adult Psychiatric Morbidity Survey 2014*. Leeds: NHS Digital.
- Mehboob Y. (2020). International Models of Psychiatric Emergency Care: United Kingdom. In: Models of Emergency Psychiatric Services That Work. M. Fitz-Gerald, J. Takeshita, (Eds) (pp. 227–241). Available at: [https://link.springer.com/chapter/10.1007/978-3-030-50808-1\\_21](https://link.springer.com/chapter/10.1007/978-3-030-50808-1_21) (Accessed 24.09.20)
- Mental Health Foundation (2019). Black, Asian and Minority Ethnic (BAME) communities. Mental Health Foundation [www.mentalhealth.org.uk/tags/bame](http://www.mentalhealth.org.uk/tags/bame)
- Moreno, C., Wykes, T., Galderisi, S. et al. (2020). How mental health care should change as a consequence of the Covid-19 pandemic. *Lancet Psychiatry*, 7, 813–824. Available at: [www.thelancet.com/journals/lanpsy/article/PIIS2215-0366\(20\)30307-2/fulltext](http://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366(20)30307-2/fulltext) (Accessed 12.12.20)
- Mental Health Act Reform White Paper (2021). [www.gov.uk/government/consultations/reforming-the-mental-health-act/reforming-the-mental-health-act](http://www.gov.uk/government/consultations/reforming-the-mental-health-act/reforming-the-mental-health-act)

- McCabe, R., Garside, R., Backhouse, A. & Xanthopoulou, P. (2018) Effectiveness of brief psychological interventions for suicidal presentations: a systematic review. *BMC Psychiatry*, 18, 120 <https://doi.org/10.1186/s12888-018-1663-5>
- Morse, G., Salyers, M.P., Rollins, A.L. et al. (2012). Burnout in mental health services: A review of the problem and its remediation. *Administration and Policy in Mental Health and Mental Health Services Research*, 39(5), 341–352. doi:10.1007/s10488-011-0352-1
- Murphy, N., Vidgen, A., Sandford, C. & Onyett, S. (2013). Clinical psychologists working in crisis resolution and home treatment teams: A grounded theory exploration. *The Journal of Mental Health Training, Education and Practice*, 8(4), 181–195.
- NCISH. (2020). National Confidential Inquiry into Suicide and Safety in Mental Health. University of Manchester. Available at: <https://sites.manchester.ac.uk/ncish/> (Accessed 23.07.20)
- NHS Benchmarking Network (2021). PICU Clinical Psychologists and Occupational Therapists. Available at: [www.nhsbenchmarking.nhs.uk/mental-health-sector#mhinpatient](http://www.nhsbenchmarking.nhs.uk/mental-health-sector#mhinpatient)
- NHS Confederation (2020). Mental Health and Covid-19 Preparing for the Rising Tide. Available at: [www.nhsconfed.org/resources/2020/08/mental-health-services-and-covid19-preparing-for-the-rising-tide](http://www.nhsconfed.org/resources/2020/08/mental-health-services-and-covid19-preparing-for-the-rising-tide) (Accessed 18.09.20)
- NHS Digital (2021). Mental Health Bulletin 2019–2020 Annual Report NHS Digital. Available at: <https://files.digital.nhs.uk/0E/62D5B5/MHB-1920-Annual%20Report.pdf> (Accessed 09/07/21).
- NHS Education for Scotland (2017). Transforming Psychological Trauma: A knowledge and skills framework for the Scottish workforce. Available at: [www.nes.scot.nhs.uk/media/3971582/nationaltraumatrainningframework.pdf](http://www.nes.scot.nhs.uk/media/3971582/nationaltraumatrainningframework.pdf) (Accessed 24.07.20)
- NHS Employers (2006). National Profiles for Clinical Psychologists, Counsellors & Psychotherapists. Available at: [www.nhsemployers.org/~media/Employers/Documents/Pay%20and%20reward/Clinical\\_Psychologists-Counsellors.pdf](http://www.nhsemployers.org/~media/Employers/Documents/Pay%20and%20reward/Clinical_Psychologists-Counsellors.pdf) (Accessed 18.09.20)
- NHS England (2016). Five Year Forward View for Mental Health. Available at: [www.england.nhs.uk/wp-content/uploads/2016/02/Mental-Health-Taskforce-FYFV-final.pdf](http://www.england.nhs.uk/wp-content/uploads/2016/02/Mental-Health-Taskforce-FYFV-final.pdf) (Accessed 05.02.21)
- NHS (2019). Long Term Plan [www.longtermplan.nhs.uk/wp-content/uploads/2019/01/nhs-long-term-plan.pdf](http://www.longtermplan.nhs.uk/wp-content/uploads/2019/01/nhs-long-term-plan.pdf) (Accessed 31.07.20)
- NHS (2019a). NHS Mental Health Implementation Plan 2019/2020 – 2023/2024. [www.longtermplan.nhs.uk/publication/nhs-mental-health-implementation-plan-2019-20-2023-24/](http://www.longtermplan.nhs.uk/publication/nhs-mental-health-implementation-plan-2019-20-2023-24/) (Accessed 10.06.21)
- NCISH (2015). National Confidential Inquiry into Suicide and Homicide by People with Mental Illness. Healthy services and safer patients: links between patient suicide and features of mental health care providers. Manchester: University of Manchester. <http://documents.manchester.ac.uk/display.aspx?DocID=37573>
- NCISH (2018). Safer Care for Patients with Personality Disorder. National Confidential Inquiry into Suicide and Homicide by People with Mental Illness. Manchester: University of Manchester Available at: <https://documents.manchester.ac.uk/display.aspx?DocID=37564> (Accessed 09.07.21)
- NICE (2009). CG78 Borderline personality disorder: recognition and management. *National Institute for Health and Care Excellence*. Available at: [www.nice.org.uk/guidance/CG78](http://www.nice.org.uk/guidance/CG78) (Accessed 31.07.20)
- NICE (2013). Self-harm Quality standard 34. *National Institute for Health and Care Excellence*. Available at: [www.nice.org.uk/guidance/QS34](http://www.nice.org.uk/guidance/QS34) (Accessed 31.07.20)
- NICE (2014). Psychosis and schizophrenia in adults: prevention and management. *National Institute for Health and Care Excellence*. Available at [www.nice.org.uk/guidance/cg178/ifa/chapter/Treatment-options](http://www.nice.org.uk/guidance/cg178/ifa/chapter/Treatment-options) (Accessed 31.07.20)
- NICE (2016). Achieving Better Access to 24/7 Urgent and Emergency Mental Health Care – Part 2: Implementing the Evidence-based Treatment Pathway for Urgent and Emergency
- NICE (2018). Bipolar Disorder: assessment and management. CG185. *National Institute for Health and Care Excellence*. [www.nice.org.uk/guidance/cg185](http://www.nice.org.uk/guidance/cg185)
- NICE (2018a). Post-traumatic Stress Disorder. NG116. *National Institute for Health and Care Excellence*. [www.nice.org.uk/guidance/ng116/chapter/Recommendations#access-to-care](http://www.nice.org.uk/guidance/ng116/chapter/Recommendations#access-to-care)
- Oates, J., Brandon, T., Burrell, C. et al. (2018). Non-medical approved clinicians: Results of a first national survey in England and Wales. *International Journal of Law and Psychiatry*, 60, 51–56. <https://doi.org/10.1016/j.ijlp.2018.07.005>
- O'Connor, R.C. & Portzky, G. (2018). The relationship between entrapment and suicidal behavior through the lens of the integrated motivational–volitional model of suicidal behaviour. *Current Opinion in Psychology*, 22, 12–17. <https://doi.org/10.1016/j.copsyc.2017.07.021>
- O'Neill, L., Johnson, J. & Mandela, R. (2018). Reflective practice groups: Are they useful for liaison psychiatry nurses working within the Emergency Department? *Archives of Psychiatric Nursing*. <https://doi.org/10.1016/j.apnu.2018.11.003>
- O'Shea, N. (2021). Covid-19 and the nation's mental health Forecasting needs and risks in the UK: May 2021. *Centre for Mental Health*. Available at: [www.centreformentalhealth.org.uk/sites/default/files/publication/download/CentreforMentalHealth\\_COVID\\_MH\\_Forecasting4\\_May21.pdf](http://www.centreformentalhealth.org.uk/sites/default/files/publication/download/CentreforMentalHealth_COVID_MH_Forecasting4_May21.pdf) (Accessed 09.07.21)
- Parsonage, M., Fossey, M. & Tutty, C. (2012). Liaison Psychiatry in the NHS. *Centre for Mental Health*. Available at: [www.centreformentalhealth.org.uk/sites/default/files/2018-09/Liaison\\_psychiatry\\_in\\_the\\_modern\\_NHS\\_2012\\_0.pdf](http://www.centreformentalhealth.org.uk/sites/default/files/2018-09/Liaison_psychiatry_in_the_modern_NHS_2012_0.pdf) (Accessed 31.07.20)
- Paterson, C., Karatzias, T., Dickson, A et al. (2018). Psychological therapy for inpatients receiving acute mental health care: A systematic review and meta-analysis of controlled trials. *British Journal of Clinical Psychology*, 57, 453–472. doi:10.1111/bjc.12182
- Posner, Z., Janssen, J. & Roddam, H. (2017). Mental health staff views on improving burnout and mental toughness. *The Journal of Mental Health Training, Education and Practice*, 12, 249–259. doi:10.1108/JMHTEP-03-2017-0021
- Preston, (2019). Positive risk taking: A course for carers. Unpublished. *Personal Communication*.
- Preston, (2019a). Feedback from Service Users, Carers and staff on the need for psychological provision within Crisis Response Home Treatment Teams. Unpublished. *Personal Communication*.
- Proudlock, S. & Wellman, N. (2011). 'Solution Focused Groups: The results look promising.' *Counselling Psychology Review*, 26(3), 45–54.
- Proudlock, S. & Hutchins, J. (2016). 'EMDR Within Crisis Resolution and Home Treatment Teams'. *Journal of EMDR Practice and Research*, 10(1).
- Proudlock, S. & Peris, J. (2020). Using EMDR therapy with patients in an acute mental health crisis. *BMC Psychiatry*, 20, 14. <https://doi.org/10.1186/s12888-019-2426-7>
- Race Equality Foundation (2019). Racial Disparities in Mental Health: Literature and Evidence Review. *Race Equality Foundation*. Available at: <https://raceequalityfoundation.org.uk/health-care/mental-health-report-published/> (Accessed 09.07.21)
- Raphael, J., Haddock, G., Edge, D. et al. (2020). Conducting a consensus conference to design a psychology service model for acute mental health wards. *British Journal of Clinical Psychology*, 59, 439–460.
- Raphael, J., Price, O., Hartley, S. et al. (2021). Overcoming barriers to implementing ward-based psychosocial interventions in acute inpatient mental health settings: A meta-synthesis. *International Journal of Nursing Studies*, 115, 103870. doi:10.1016/j.ijnurstu.2021.103870.



- Renwick, L., Lavelle, M., Brennan, G. et al. (2016). Physical injury and workplace assault in UK mental health trusts: An analysis of formal reports. *International journal of mental health nursing*, 25, 355–366.
- ReQol (2015). University of Sheffield. Available at: [www.reqol.org.uk/p/overview.html](http://www.reqol.org.uk/p/overview.html) (Accessed 30.07.20)
- RCP (2018). Reducing Restrictive Practice. *Royal College of Psychiatry*. Available at: [www.rcpsych.ac.uk/improving-care/nccmh/reducing-restrictive-practice](http://www.rcpsych.ac.uk/improving-care/nccmh/reducing-restrictive-practice) (Accessed 31.07.20)
- RCP (2019). Standards for Acute Inpatient Services for Working Age Adults: 7th Edition. *Royal College of Psychiatry*. Available at: [www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/working-age-wards-aims-wa/standards-for-acute-inpatient-services-for-working-age-adults---7th-edition.pdf?sfvrsn=acd9289c\\_2](http://www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/working-age-wards-aims-wa/standards-for-acute-inpatient-services-for-working-age-adults---7th-edition.pdf?sfvrsn=acd9289c_2) (Accessed 09.07.21)
- RCP (2019a). HTAS Home Treatment Accreditation Scheme. *Royal College of Psychiatry*. Available at: [www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/htas/htas-standards-4th-edition.pdf?sfvrsn=a6908cbc\\_2](http://www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/htas/htas-standards-4th-edition.pdf?sfvrsn=a6908cbc_2) (Accessed 09.07.21)
- RCP (2020). Quality Standards for Liaison Psychiatry Services Sixth Edition. *Royal College of Psychiatry*. Available at: [www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/psychiatric-liaison-services-plan/quality-standards-for-liaison-psychiatry-services--sixth-edition-20209b6be47cb0f249f697850e1222d6b6e1.pdf?sfvrsn=1ddd53f2\\_0](http://www.rcpsych.ac.uk/docs/default-source/improving-care/ccqi/quality-networks/psychiatric-liaison-services-plan/quality-standards-for-liaison-psychiatry-services--sixth-edition-20209b6be47cb0f249f697850e1222d6b6e1.pdf?sfvrsn=1ddd53f2_0) (Accessed 02.07.21)
- RCP (2020a). Psychiatrists see alarming rise in patients needing urgent and emergency care and forecast a 'tsunami' of mental illness. *Royal College of Psychiatry*. Available at: <https://www.rcpsych.ac.uk/news-and-features/latest-news/detail/2020/05/15/psychiatrists-see-alarming-rise-in-patients-needing-urgent-and-emergency-care> (Accessed 16.05.20)
- Ross, K. & Dexter-Smith, S. (2017). Psychological best practice in inpatient services for older people. *British Psychological Society*. Available at: <https://shop.bps.org.uk/psychological-best-practice-in-inpatient-services-for-older-people> (Accessed 12.12.20)
- Sheaves, B., Freeman, D., Isham, L. et al. (2017) Stabilising sleep for patients admitted at acute crisis to a psychiatric hospital (OWLS): An assessor-blind pilot randomised controlled trial. *Psychological Medicine*. <https://doi.org/10.1017/S0033291717003191>
- Sheridan Rains, L., Zenina, T., Casanova Dias, M. et al. (2019). Variations in patterns of involuntary hospitalisation and in legal frameworks: An international comparative study. *Lancet Psychiatry*, 6, 403–417.
- Sinclair, C., O'Shea, N., Allwood L. & Durcan, G. (2020). Covid-19 and the nation's mental health: Forecasting needs and risks in the UK. Centre for Mental Health. *Centre for Mental Health*. Available at: [www.centreformentalhealth.org.uk/publications/covid-19-and-nation-s-mental-health-july-2020](http://www.centreformentalhealth.org.uk/publications/covid-19-and-nation-s-mental-health-july-2020) (Accessed 04.09.20)
- Small, C., Pistrang, N., Huddy, V. & Williams, C. (2018). Individual psychological therapy in an acute inpatient setting: service user and psychologist perspectives. *Psychology and Psychotherapy: Theory, Research and Practice*, 91(4), 417–433. ISSN 1476-0835
- Stewart-Brown, S., Tennant, A., Ruth Tennant, R. et al. (2009). Internal construct validity of the Warwick-Edinburgh Mental Wellbeing Scale (WEMWBS): A Rasch analysis using data from the Scottish Health Education Population Survey. *Health and Quality of Life Outcomes: 7 Article number: 15*.
- Struszczyk, S., Galdas, P.M., Tiffin, P.A. (2019). Men and suicide prevention: A scoping review. *Journal of Mental Health*, 28(1):80–88. doi:10.1080/09638237.2017.1370638. Epub 2017 Sep 5. PMID: 28871841.
- Sullivan, L. (2018). Demedicalising crisis resolution home treatment teams – A psychological intervention for acute care services. *Clinical Psychology Forum*, 39–43.
- Sullivan, L. & Whiteley C. (2019). Working with men in crisis: A psychological framework for crisis intervention in home treatment teams. *The Palgrave Handbook of Male Psychology and Mental Health*, 579–600.
- Sweeney, A., Clement, S., Filson, B. & Kennedy, A. (2016), 'Trauma-informed mental healthcare in the UK: What is it and how can we further its development?', *Mental Health Review Journal*, 21(3), 174–192. <https://doi.org/10.1108/MHRJ-01-2015-0006>
- Thorndycraft B. & Macabe J. (2008). The challenge of working with staff groups in the caring professions: The importance of the team development and reflective practice. *British Journal of Psychotherapy* 24(2), 167–183. doi:10.1111/j.1752-0118.2008.00075.x
- Torjensen, I. (2019). Childhood trauma doubles risk of mental health conditions. *BMJ*, 364. <https://doi.org/10.1136/bmj.l854> (Published 22 February 2019)
- Tulloch, A.D., David, A.S. & Thornicroft, G. (2016). Exploring the predictors of early readmission to psychiatric hospital. *Epidemiology and Psychiatric Sciences* 25(2), 181–193. doi:10.1017/S2045796015000128.
- Van Leeuwen, M.E. & Harte, J.M. (2015). Violence against mental health care professionals: Prevalence, nature and consequences. *The Journal of Forensic Psychiatry & Psychology*, 1–18. <https://doi.org/10.1080/14789949.2015.1012533>
- Walker A, Rose Barrett, J., Lee, W. et al. (2018). Organisation and delivery of liaison psychiatry services in general hospitals in England: Results of a national survey. *BMJ Open*, 8, :e023091. doi:10.1136/bmjopen-2018-023091
- Wilton, J. (2020). Briefing 56: Trauma, mental health and Coronavirus. *Centre for Mental Health*. Available at: [www.centreformentalhealth.org.uk/publications/briefing-56-trauma-mental-health-and-coronavirus](http://www.centreformentalhealth.org.uk/publications/briefing-56-trauma-mental-health-and-coronavirus) (Accessed 04.09.20)
- Wood, L., Williams, C., Billings, J. & Johnson, S. (2018). The role of psychological therapy in a multidisciplinary psychiatric inpatient setting: Perspectives from the multidisciplinary team. *Psychology and Psychotherapy: Theory, Research and Practice*. <https://doi.org/10.1111/papt.12199>
- Wood, L., Williams, C., Billings, J. & Johnson, S. (2019). The therapeutic needs of psychiatric inpatients with psychosis: A qualitative exploration of patient and staff perspectives. *British Journal of Psychiatry Open*. <https://doi.org/10.1192/bjo.2019.33>
- Wood, L., Williams, C., Billings, J. & Johnson, S. (2019a). Psychologists' perspectives on the implementation of psychological therapy for psychosis in the acute psychiatric inpatient setting. *Qualitative Health Research*. <https://doi.org/10.1177/1049732319843499>
- Wood, L., Williams, C., Billings, J. & Johnston, S. (2020). A systematic review and meta-analysis of cognitive behavioural informed psychological interventions for psychiatric inpatients with psychosis. *Schizophrenia Research*. Available at: [www.sciencedirect.com/science/article/abs/pii/S0920996420301523](http://www.sciencedirect.com/science/article/abs/pii/S0920996420301523) (Accessed 18.07.20)
- Wood, L., Williams, C. & Roth, A. (2021). Competency Framework Acute Mental Health Inpatient Settings. *UCL*. Available at: [www.ucl.ac.uk/pals/research/clinical-educational-and-health-psychology/research-groups/core/competence-frameworks](http://www.ucl.ac.uk/pals/research/clinical-educational-and-health-psychology/research-groups/core/competence-frameworks)
- Wyatt, S., Aldridge, S., Callaghan, D. & Dyke, A. (2019). Exploring Mental Health Inpatient Capacity across Sustainability and Transformation Partnerships in England. The Strategy Unit.
- Wykes T., Csapke E., Williams P. et al. (2018). Improving patient experiences of mental health inpatient care: a randomised controlled trial. *Psychological Medicine*, 48(3):488–497. doi:10.1017/S003329171700188X



The Association of Clinical Psychologists is a Community Interest Company. It is a representative professional body for clinical psychologists. We act for the good of our clients and communities by promoting, publicising, supporting and developing clinical psychologists.

☎ 07591399499

🌐 [www.acpuk.org.uk](http://www.acpuk.org.uk)

✉ [admin@acpuk.org.uk](mailto:admin@acpuk.org.uk)



the british  
psychological society  
promoting excellence in psychology

The British Psychological Society is a registered charity which acts as the representative body for psychology and psychologists in the UK. We support and enhance the development and application of psychology for the greater public good, disseminating our knowledge to increase public awareness.

St Andrews House  
48 Princess Road East  
Leicester LE1 7DR, UK

☎ 0116 254 9568

🌐 [www.bps.org.uk](http://www.bps.org.uk)

✉ [info@bps.org.uk](mailto:info@bps.org.uk)